94-134 hp 3.6 liter

94-134 hp 904J-E36TA

EU Stage V, U.S. EPA & CARB Tier 4 Final

Industrial Agricultural Mobile, Stationary or Portable

_			_
Sp	ecit	icat	ions

Туре	Diesel 4 Stroke	
Configuration	4 In-line	
Air Handling	Turbocharged Aftercooled	
Bore X Stroke	98 mm X 120 mm	
Displacement	3.6 L	
Compression Ratio	17:1	
Valves Per Cylidner	4	
Rotation	Anti-Clockwise, viewed on Flywheel	
Fuel System	Electronic High Pressure Common Rail	
Aftertreatment System	DOC, DPF	



Emissions Configuration	Tier 4 Final / Stage 5		
Flywheel Housing	SAE3 and SAE4 as Standard		
Flywheel	SAE3 and SAE4 as Standard		
Air Compressor	SAE3		
Voltage	12 V or 24 V 12 V or 24 V		
Alternator			
Starter	12 V or 24 V		
	Dimensions		
Base Engine L X W X H	26.2 in. X 22.2 in. X 30.9 in.		
Weight (Dry)	1214 lbs		







Powering Businesses

Since 1982





3.6 liter

94-134 hp 904J-E36TA

EU Stage V, U.S. EPA & CARB Tier 4 Final

Industrial **Agricultural** Mobile, Stationary or Portable





Engine Ratings								
Speed RPM	Power hp	Speed RPM	Torque NM	Torque lb./ft.	Rating Type			
2400	94	1500	410	302	С			
2400	121	1500	500	369	С			
2200	134	1500	550	406	D			



Powering Businesses

Since 1982

